

Drug	Indications <sup>1</sup>					Route	Manufacturer
	Ankylosing Spondylitis	Giant Cell Arteritis	Juvenile Idiopathic Arthritis	Psoriatic Arthritis	Rheumatoid Arthritis		
<b>Actemra</b> <sup>®</sup> (tocilizumab) <i>For patients ages 2+</i>		▪	▪		▪	Intravenous, Subcutaneous	Genentech
<b>Cimzia</b> <sup>®</sup> (certolizumab)	▪			▪	▪	Subcutaneous	UCB
<b>Cosentyx</b> <sup>®</sup> (secukinumab)	▪			▪		Subcutaneous	Novartis
<b>Enbrel</b> <sup>®</sup> (etanercept) <i>For patients ages 2+</i>	▪		▪	▪	▪	Subcutaneous	Amgen
<b>Humira</b> <sup>®</sup> (adalimumab) <i>For patients ages 2+</i>	▪		▪	▪	▪	Subcutaneous	Abbvie
<b>Kevzara</b> <sup>®</sup> (sarilumab)					▪	Subcutaneous	Regeneron / Sanofi
<b>Orencia</b> <sup>®</sup> (abatacept)			▪ <i>IV: ages 6+ SC: ages 2+</i>	▪	▪	Intravenous, Subcutaneous	Bristol-Myers Squibb
<b>Otezla</b> <sup>®</sup> (apremilast)				▪		Oral	Celgene
<b>Simponi</b> <sup>®</sup> (golimumab)	▪			▪	▪	Subcutaneous	Janssen
<b>Simponi Aria</b> <sup>®</sup> (golimumab)	▪			▪	▪	Intravenous	Janssen
<b>Stelara</b> <sup>®</sup> (ustekinumab)				▪		Subcutaneous	Janssen
<b>Taltz</b> <sup>®</sup> (ixekizumab)				▪		Subcutaneous	Lilly
<b>Xeljanz</b> <sup>®</sup> / <b>Xeljanz XR</b> <sup>®</sup> (tofacitinib)				▪	▪	Oral	Pfizer

Please note that this is not an enrollment form. To download our forms, visit [diplomat.is/rxforms](http://diplomat.is/rxforms).

## QUESTIONS?

Reach out to your single point-of-contact.

Name

Email

Phone

Fax

<sup>1</sup>Medications listed are prescribed for adults, unless otherwise indicated.